

MONOBLOC MULTIFUNCTION BRATT PAN

CODICE
CR0854369

MODELLO
OVB64E

SERIE
SERIE 650



GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

TECHNICAL SPECIFICATIONS

■ MULTI-FUNCTION SINGLE-BLOCK BRATT PAN Equipment ideal for use as both a fry-top and a braising pan and is equipped with an AISI 304 stainless steel tank. Heating is by electric heating element with

safety thermostat and operation indicator light. Drainage of the tank is by means of drain hole of suitable diameter closed by stainless steel plug. ■ The multiple, with a tank made entirely of AISI 304 stainless steel, has heating elements placed under the bottom of the tank for even temperature distribution adjustable from 110 to 280°C.

MONOBLOC MULTIFUNCTION BRATT PAN

CODICE
CR0854369

MODELLO
OVB64E

SERIE
SERIE 650

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854369
DEFINITION	MULTIPLA EL.60 M40 OVB64E
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	870 mm
NET WEIGHT	65.4 Kg
VOLUME (net)	0,209
PACKAGE LENGTH	690 mm
PACKAGE WIDTH	690 mm
PACKAGING HEIGHT	1050 mm
PACKAGE VOLUME	0,500 m3
GROSS PACKING WEIGHT	71 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	4,050 kW
IP GRADE	IPX4
CERTIFIED MODEL	OVB64E

MONOBLOC MULTIFUNCTION BRATT PAN


CODICE
CR0854369

MODELLO
OVB64E

SERIE
SERIE 650

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel

MONOBLOC MULTIFUNCTION BRATT PAN

CODICE
CR0854369

MODELLO
OVB64E

SERIE
SERIE 650



The multiple, with a tank made entirely of AISI 304 stainless steel, has heating elements placed under the bottom of the tank for even temperature distribution adjustable from 110 to 280°C.

MONOBLOC MULTIFUNCTION BRATT PAN

CODICE
CR0854369

MODELLO
OVB64E

SERIE
SERIE 650

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852849	OVB64	OPEN BASE size 40cm Series 650
CR0858009	OCS40	2 drawers with plastic tray GN1/1 H15cm
CR0858029	OP40D/S	door for 40 -80 compartment