

MULTI-PURPOSE ELECTRIC BRATT PAN

CODICE
CR0989929

MODELLO
D73/10KBEF

SERIE
DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

TECHNICAL SPECIFICATIONS

■ Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme. ■ Thanks to the jet-

proofing certification obtained in specific tests, the knobs and under-knobs can be washed, without compromising functionality and safety.

MULTI-PURPOSE ELECTRIC BRATT PAN

CODICE
CR0989929

MODELLO
D73/10KBEF

SERIE
DIAMANTE 70

Technical Information

| SPECIFICATION | DATA |
|-----------------------|--------------------------|
| MATERIAL | CR0989929 |
| DEFINITION | D73/10 KBEF MULTIPLA M60 |
| COMMERCIAL LINE | DIAMANTE |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 600 mm |
| DIM. PRODUCTIVITY | 730 mm |
| DIM. HEIGHT | 870 mm |
| NET WEIGHT | 0 Kg |
| VOLUME (net) | 0,381 |
| PACKAGE LENGTH | 440 mm |
| PACKAGE WIDTH | 840 mm |
| PACKAGING HEIGHT | 1050 mm |
| PACKAGE VOLUME | 0,388 m3 |
| GROSS PACKING WEIGHT | 0 Kg |
| STANDARD POWER SUPPLY | 380-415V 3N |
| FREQUENCY | 50-60 Hz |
| ELECTRICAL POWER | 8,100 kW |
| IP GRADE | IPX5 |
| CERTIFIED MODEL | D73/10 KBEF |

MULTI-PURPOSE ELECTRIC BRATT PAN


CODICE
CR0989929

MODELLO
D73/10KBEF

SERIE
DIAMANTE 70

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

- E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief
Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel
- S** Scarico vasca - Wannenabflussrohr - Pan outlet
Vidange du bac - Descarga cuba - Water toevoer

H20* Attacco arrivo acqua - Wasseranschluss - Water inlet
Arrivée eau - Union de agua - Wateraansluiting
EN ISO 228-1 G 3/4

MULTI-PURPOSE ELECTRIC BRATT PAN

CODICE
CR0989929

MODELLO
D73/10KBEF

SERIE
DIAMANTE 70



Equipment certified for low voltage
directive 2014/35/EU according to the
international CB scheme.



Thanks to the jet-proofing certification
(IPX5) obtained through specific tests,
knobs and under-knobs can be washed,
without compromising functionality
and safety.

MULTI-PURPOSE ELECTRIC BRATT PAN

CODICE
CR0989929

MODELLO
D73/10KBEF

SERIE
DIAMANTE 70

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|------------|---------|--|
| CR0592789 | ZF6 | Front plinth - FOR INSTALLING EQUIPMENT WITH FLOOR HEIGHT 90 CM L=60 |
| CR0592830 | ZG | SKIRTING JOINT |
| MA97432000 | R | WHEEL KIT (2 + 2) Ø 100 |
| MA97433000 | RI | WHEEL KIT (2 + 2) Ø 101 STAINLESS STEEL |
| CR0592869 | PZM | NO. 4 STAINLESS STEEL FEET FOR INSTALLATION ON CONCRETE PLINTH |
| CR0593580 | 9PT | No. 4 stainless steel feet for installation on tops |
| CR0592879 | KPA | N.2 STAINLESS STEEL FEET WITH FLANGE |
| CR0599649 | 7ZL | Side plinth |