

## WOK 1 GAS FIRE 20 KW ON OPEN COMPARTMENT

CODICE  
1100/90CGPW20

MODELLO  
1100/90CGPW20

SERIE  
SERIE 1100



### GENERAL CHARACTERISTICS

A complete range that stands out for its exceptional versatility and the perfect combination of modules, thanks to the use of laser cutting technology.

The 1100 Series makes it possible to create different combinations and to equip the base units with a variety of solutions: central cooking blocks on bases, on bridges and even suspended; free-standing and therefore more functional pasta cookers and fryers. All in a structure that is both sturdy and design at the same time.

AISI 304 stainless steel, Scotch Brite finish, laser-cut 2 mm thick worktops

Wide choice of burners with different power ranges (3.5Kw, 5.6 Kw, 7 Kw, 10Kw)

Burners with stabilised flame, nickel-plated cast iron

Virtually unlimited possibility of power combinations (in compliance with maximum approvals)

Tested components and high efficiency of the heating elements used

Counter tops can be equipped with pass-through ovens, hot cabinets, ventilated, neutral, cantilever and bridge ovens

Also available with plinth

### TECHNICAL SPECIFICATIONS

■ Enamelled cast iron ring burner, available in 10 or 14 kW, removable for easier cleaning. ■ Table top with standardised tank and liquid drainage in the rear right-hand corner. ■ Tray for collecting overflow liquids.

## WOK 1 GAS FIRE 20 KW ON OPEN COMPARTMENT

CODICE  
1100/90CGPW20

MODELLO  
1100/90CGPW20

SERIE  
SERIE 1100

### Technical Information

SPECIFICATION	DATA
MATERIAL	1100/90CGPW20
SUPPLY	GAS

# WOK 1 GAS FIRE 20 KW ON OPEN COMPARTMENT


CODICE  
1100/90CGPW20

MODELLO  
1100/90CGPW20

SERIE  
SERIE 1100

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



### Legenda - Legende - Key - Légende - Leyenda - Legenda

- G** Attacco arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting **EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)**
- S** Scarico acqua - Wasserablauf - Water drain - Evacuation eau - Descarga de agua - Afvoer water **EN 10226-1 R 1**

## WOK 1 GAS FIRE 20 KW ON OPEN COMPARTMENT

CODICE  
1100/90CGPW20

MODELLO  
1100/90CGPW20

SERIE  
SERIE 1100



10 kW or 14 kW enameled cast-iron  
burners removable for easy cleaning.



Table top with standardised tank and  
liquid drainage in the rear right-hand  
corner.



Tray for collecting overflow liquids.