

ELECTRIC SOLID TOP - TOP VERSION

CODICE
BN12131190

MODELLO
1100/90TCTE

SERIE
SERIE 1100



GENERAL CHARACTERISTICS

A complete range that stands out for its exceptional versatility and the perfect combination of modules, thanks to the use of laser cutting technology.

The 1100 Series makes it possible to create different combinations and to equip the base units with a variety of solutions: central cooking blocks on bases, on bridges and even suspended; free-standing and therefore more functional pasta cookers and fryers. All in a structure that is both sturdy and design at the same time.

AISI 304 stainless steel, Scotch Brite finish, laser-cut 2 mm thick worktops

Wide choice of burners with different power ranges (3.5Kw, 5.6 Kw, 7 Kw, 10Kw)

Burners with stabilised flame, nickel-plated cast iron

Virtually unlimited possibility of power combinations (in compliance with maximum approvals)

Tested components and high efficiency of the heating elements used

Counter tops can be equipped with pass-through ovens, hot cabinets, ventilated, neutral, cantilever and bridge ovens

Also available with plinth

TECHNICAL SPECIFICATIONS

■ Heating of each cooking zone is achieved by controlled radiation element with safety thermostat. ■ Temperature regulation from 50 to 400°C by thermostat.

ELECTRIC SOLID TOP - TOP VERSION

CODICE
BN12131190

MODELLO
1100/90TCTE

SERIE
SERIE 1100

Technical Information

| SPECIFICATION | DATA |
|-----------------------|--|
| MATERIAL | BN12131190 |
| DEFINITION | 1100/90TCTE TUTTAPIASTRA ELETTRICO TOP |
| COMMERCIAL LINE | SERIE 1100 |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 900 mm |
| DIM. PRODUCTIVITY | 1100 mm |
| DIM. HEIGHT | 250 mm |
| NET WEIGHT | 115,6 Kg |
| VOLUME (net) | 0,248 |
| PACKAGE LENGTH | 1020 mm |
| PACKAGE WIDTH | 1260 mm |
| PACKAGING HEIGHT | 1100 mm |
| PACKAGE VOLUME | 1,410 m3 |
| GROSS PACKING WEIGHT | 136 Kg |
| STANDARD POWER SUPPLY | 380-415V 3N |
| FREQUENCY | 50-60 Hz |
| ELECTRICAL POWER | 16,000 kW |
| GAS/REFRIGERANT TYPE | GPL 28-30/37 mbar |
| TENSION | 400 |
| IP GRADE | IPX4 |
| CERTIFIED MODEL | 1100/90TCTE |

ELECTRIC SOLID TOP - TOP VERSION



weinnovate cooking


CODICE
BN12131190

MODELLO
1100/90TCTE

SERIE
SERIE 1100

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



| Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda | |
|---|---|
| E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico | G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás |
| S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água | H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água |
| S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba | A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio |
| S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão | L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel |
| S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de água intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto | |

ELECTRIC SOLID TOP - TOP VERSION

CODICE
BN12131190

MODELLO
1100/90TCTE

SERIE
SERIE 1100

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|-----------|--------------|--|
| 110/90B | 110/90B | Feed-through bases 90cm 1000 Series |
| BN2593510 | 45/110PDX-SX | Door |
| CR1355719 | CR1355719 | Wheel kit |
| BN2590145 | RUB110 | Faucet 45x55x62 65 H |
| BN2593590 | CMF1109 | FRONT HANDRAIL |
| BN2592970 | CASS45 | Drawers for neutral base mod. 45 GN 1/1 h 10 cm 4 drawers |
| BN2592975 | CASS90 | Drawers for neutral base unit mod. 90 GN 1/1 h 10 cm 8 drawers |
| CR1011759 | NZA90 | FRONT SKIRTING - MODULE 900 |
| CR1011809 | NZL110 | SIDE PLINTH THROUGH |