

# MONOBLOC MULTIFUNCTION BRATT PAN

CODICE  
CR0854379

MODELLO  
OVB66E

SERIE  
SERIE 650



## GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

## TECHNICAL SPECIFICATIONS

■ MULTI-FUNCTION SINGLE-BLOCK BRATT PAN Equipment ideal for use as both a fry-top and a braising pan and is equipped with an AISI 304 stainless steel tank. Heating is by electric heating element with

safety thermostat and operation indicator light. Drainage of the tank is by means of drain hole of suitable diameter closed by stainless steel plug. ■ The multiple, with a tank made entirely of AISI 304 stainless steel, has heating elements placed under the bottom of the tank for even temperature distribution adjustable from 110 to 280°C.

# MONOBLOC MULTIFUNCTION BRATT PAN

CODICE  
CR0854379

MODELLO  
OVB66E

SERIE  
SERIE 650

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854379
DEFINITION	MULTIPLA EL.60 M60 OVB66E
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	870 mm
NET WEIGHT	63.7 Kg
VOLUME (net)	0,313
PACKAGE LENGTH	690 mm
PACKAGE WIDTH	690 mm
PACKAGING HEIGHT	1050 mm
PACKAGE VOLUME	0,500 m3
GROSS PACKING WEIGHT	71 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	8,100 kW
IP GRADE	IPX4
CERTIFIED MODEL	OVB66E

# MONOBLOC MULTIFUNCTION BRATT PAN


CODICE  
CR0854379

MODELLO  
OVB66E

SERIE  
SERIE 650

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



## LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel

## MONOBLOC MULTIFUNCTION BRATT PAN

CODICE  
CR0854379

MODELLO  
OVB66E

SERIE  
SERIE 650



The multiple, with a tank made entirely of AISI 304 stainless steel, has heating elements placed under the bottom of the tank for even temperature distribution adjustable from 110 to 280°C.

## MONOBLOC MULTIFUNCTION BRATT PAN

CODICE  
CR0854379

MODELLO  
OVB66E

SERIE  
SERIE 650

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852859	OBV66	OPEN BASE size 60cm Series 650
CR0858049	OCS60	Pair of drawers
CR0858059	OP60D/S	door per compartment 60 - 100