

## LAVIC STONE GRID

CODICE  
CR0854249

MODELLO  
OGPL64G

SERIE  
SERIE 650



### GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

### TECHNICAL SPECIFICATIONS

■ LAVIC STONE GRILL The rod cooking grill is suitable for cooking fish. A grill for cooking meat can be provided upon request. The work surface, equipped with spraying edges, is slightly inclined so as to

convey sauces, fats and seasonings, into the special drip pan. Pilot flame, thermocouple, piezoelectric ignition and valved faucet ensure maximum safety. The steel burner is easily removable for cleaning. ■ The cooking grids can be tilted for easier and more effective cooking.

CODICE  
CR0854249MODELLO  
OGPL64GSERIE  
SERIE 650

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854249
DEFINITION	GRIGLIA LAVICA G.60 M40 OGPL64G
COMMERCIAL LINE	SERIE 600
SUPPLY	GAS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	650 mm
DIM. HEIGHT	295 mm
NET WEIGHT	38.4 Kg
VOLUME (net)	0,077
PACKAGE LENGTH	450 mm
PACKAGE WIDTH	780 mm
PACKAGING HEIGHT	680 mm
PACKAGE VOLUME	0,200 m3
GROSS PACKING WEIGHT	44 Kg
GAS POWER	7,00
GAS POWER (G25.3/25mbar)	7,00
CERTIFIED MODEL	OGPL64G

CODICE  
 CR0854249

 MODELLO  
 OGPL64G






 SERIE  
 SERIE 650

 SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -  
 ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

 MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

GPL64G	OGPL64G
6NGL/G400	EGL62T

GPL68G	OGPL68G
6NGL/G800	EGL64T



## Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

G Attacco arrivo gas - Gasanschluss - Gas connection  
 Arrivée gaz - Union da gas - Gasaansluiting -  
 EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)

## LAVIC STONE GRID

CODICE  
CR0854249

MODELLO  
OGPL64G

SERIE  
SERIE 650



The cooking grids can be tilted for easier and more effective cooking.

## LAVIC STONE GRID

CODICE  
CR0854249

MODELLO  
OGPL64G

SERIE  
SERIE 650

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852849	OBV64	OPEN BASE size 40cm Series 650
CR0858009	OCS40	2 drawers with plastic tray GN1/1 H15cm
CR0858029	OP40D/S	door for 40 -80 compartment
MA10405093900	6NGCG	STAINLESS STEEL MEAT GRILL
MA10405324900	6NGCGG40	CAST IRON MEAT GRILL