

# Multifunction Blast Chiller 10 GN1/1 +90°C / -40°C

CODICE  
BN2ABD120435

MODELLO  
OGL10

SERIE  
MULTIFUNCTION



## GENERAL CHARACTERISTICS

The main advantage of good refrigeration is to store food safely and hygienically, reducing the risk of contamination and spoilage. With their stainless steel capacity and structure, the refrigeration equipment ensures optimal preservation of vegetables, meat, fish, ice cream and creams, while maintaining their flavour and fragrance. Compliance with hygiene and food safety standards, reduced energy costs and increased efficiency in kitchen work are aspects that guided OLIS in the development of a new range of refrigeration equipment.

Work is easier thanks to the intuitive graphics of the user interface, designed to simplify access to functions, which are represented to be immediately identified and to encourage interaction between the user and the device.

In a single machine, a concentration of technology that will enable it to perform different and complementary for the best efficiency in the kitchen: in this way it will be immediately operational, without starting any complex procedure also thanks to 300 working processes and cycles.

## TECHNICAL SPECIFICATIONS

■ Multifunction blast chiller with combinable cycles ■ GAS R290 ■ 7" full touch display ■ T° Range +90°C / -40°C ■ 190 preloaded recipes ■ More than 20 pre-loaded combined cycles ■ Infinite combination of functions in combined work cycles ■ Bidirectional IOT 4.0 connectivity ■ 0/100% humidity regulation with instant steam generator ■

Sanitation with combined IONS / STEAM cycle (Optional) ■ Wifi connection ■ Electronic fans ■ Thermostatic valve ■ Body entirely in AISI 304 steel ■ Newly developed scroll compressors

# Multifunction Blast Chiller 10 GN1/1 +90°C / -40°C

CODICE  
BN2ABD120435

MODELLO  
OGL10

SERIE  
MULTIFUNCTION

## Technical Information

SPECIFICATION	DATA
MATERIAL	BN2ABD120435
SUPPLY	ELECTRICS
DIM. WIDTH	790 mm
DIM. PRODUCTIVITY	1000 mm
DIM. HEIGHT	1730 mm
NET WEIGHT	188 Kg
PACKAGE LENGTH	1100 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1945 mm
STANDARD POWER SUPPLY	380-415V 3N
ELECTRICAL POWER	4.29 kW
GAS/REFRIGERANT TYPE	R290
REFRIGERATION POWER	6700
CELL SIZE	610x410x930
RATED CURRENT	12.3
Capacity	Lt. 296
INSULATION THICKNESS	60
DEFROST TYPE	Gas caldo
Chilling yield (+65°=> +10°) Kg	60
Freezing yield (+65° => -18°) Kg	48

# Multifunction Blast Chiller 10 GN1/1 +90°C / -40°C



weinnovate cooking

CODICE  
BN2ABD120435

MODELLO  
OGL10

SERIE  
MULTIFUNCTION

