

NEUTRAL ELEMENT WITH OPEN COMPARTMENT WITH DRAWER

CODICE
CR0995069

MODELLO
D73/10ENC

SERIE
DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

TECHNICAL SPECIFICATIONS

■ Modular, easy to combine and robust. ■ Drawers for GN 1/1 ■ Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

NEUTRAL ELEMENT WITH OPEN COMPARTMENT WITH DRAWER

CODICE
CR0995069

MODELLO
D73/10ENC

SERIE
DIAMANTE 70

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0995069
DEFINITION	D73/10 ENC ELEMENTO N. M60 C/CASS.V.G.
COMMERCIAL LINE	DIAMANTE
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NET WEIGHT	35 Kg
VOLUME (net)	0.381
PACKAGE LENGTH	640 mm
PACKAGE WIDTH	890 mm
PACKAGING HEIGHT	1230 mm
PACKAGE VOLUME	0,702 m3
GROSS PACKING WEIGHT	45 Kg

NEUTRAL ELEMENT WITH OPEN COMPARTMENT WITH DRAWER

CODICE
CR0995069

MODELLO
D73/10ENC

SERIE
DIAMANTE 70



Modular, easy to combine and robust.



Drawers for GN 1/1



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

NEUTRAL ELEMENT WITH OPEN COMPARTMENT WITH DRAWER

CODICE
CR0995069

MODELLO
D73/10ENC

SERIE
DIAMANTE 70

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0996999	DBVP6	Diamond door 59.5x3.6x46.5 cm for 60 cm compartments
CR1353599	DBVC6	Drawer kit 59.5x56x46.5 cm for 60 compartments
CR0592789	ZF6	Front plinth - FOR INSTALLING EQUIPMENT WITH FLOOR HEIGHT 90 CM L=60
CR0592830	ZG	SKIRTING JOINT
MA97432000	R	WHEEL KIT (2 + 2) Ø 100
MA97433000	RI	WHEEL KIT (2 + 2) Ø 101 STAINLESS STEEL
CR0592869	PZM	NO. 4 STAINLESS STEEL FEET FOR INSTALLATION ON CONCRETE PLINTH
CR0593580	9PT	No. 4 stainless steel feet for installation on tops
CR0592879	KPA	N.2 STAINLESS STEEL FEET WITH FLANGE
CR0592940	9CAT*	Water column for top equipment
CR0599859	7CAM*	Water dispensing column for equipment on oven, open compartment or monoblock
CR0599649	7ZL	Side plinth