

LAVIC STONE GRID

CODICE
CR0854259

MODELLO
OGPL68G

SERIE
SERIE 650



GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

TECHNICAL SPECIFICATIONS

■ LAVIC STONE GRILL The rod cooking grill is suitable for cooking fish. A grill for cooking meat can be provided upon request. The work surface, equipped with spraying edges, is slightly inclined so as to

convey sauces, fats and seasonings, into the special drip pan. Pilot flame, thermocouple, piezoelectric ignition and valved faucet ensure maximum safety. The steel burner is easily removable for cleaning. ■ The cooking grids can be tilted for easier and more effective cooking.

CODICE
CR0854259MODELLO
OGPL68GSERIE
SERIE 650

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854259
DEFINITION	GRIGLIA LAVICA G.60 M80 OGPL68G
COMMERCIAL LINE	SERIE 600
SUPPLY	GAS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	650 mm
DIM. HEIGHT	295 mm
NET WEIGHT	64 Kg
VOLUME (net)	0,153
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	740 mm
PACKAGING HEIGHT	700 mm
PACKAGE VOLUME	0,435 m3
GROSS PACKING WEIGHT	73 Kg
GAS POWER	14,00
GAS POWER (G25.3/25mbar)	14,00
CERTIFIED MODEL	OGPL68G

CODICE
 CR0854259

 MODELLO
 OGPL68G






 SERIE
 SERIE 650

 SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -
 ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

 MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

GPL64G	OGPL64G
6NGL/G400	EGL62T

GPL68G	OGPL68G
6NGL/G800	EGL64T



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

G Attacco arrivo gas - Gasanschluss - Gas connection
 Arrivée gaz - Union da gas - Gasaansluiting -
 EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)

LAVIC STONE GRID

CODICE
CR0854259

MODELLO
OGPL68G

SERIE
SERIE 650



The cooking grids can be tilted for easier and more effective cooking.

LAVIC STONE GRID

CODICE
CR0854259

MODELLO
OGPL68G

SERIE
SERIE 650

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852879	OBV68	OPEN BASE size 80cm Series 650
CR0858009	OCS40	2 drawers with plastic tray GN1/1 H15cm
CR0858029	OP40D/S	door for 40 -80 compartment