

# GAS FRY TOP SMOOTH PLATE AISI 430 ON CABINET

CODICE  
CR0998209

MODELLO  
D96/10FTTGA

SERIE  
DIAMANTE 90



## GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

## TECHNICAL SPECIFICATIONS

■ A 10-mm inclination of the plates towards the front of the machine allows optimal grease outflow to the grease tray. ■ Plate welded to the hob that provides a larger cooking zone and

eliminates dirt accumulation areas. ■ Even heat distribution thanks to several burners under the hotplate. ■ Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

# GAS FRY TOP SMOOTH PLATE AISI 430 ON CABINET

CODICE  
CR0998209

MODELLO  
D96/10FTTGA

SERIE  
DIAMANTE 90

## Technical Information

| SPECIFICATION            | DATA                                     |
|--------------------------|--|
| MATERIAL                 | CR0998209                                |
| DEFINITION               | D96/10 FTTGA FTG LISCIO M120 430 V.G.TE. |
| COMMERCIAL LINE          | DIAMANTE                                 |
| SUPPLY                   | GAS                                      |
| DIM. WIDTH               | 1200 mm                                  |
| DIM. PRODUCTIVITY        | 900 mm                                   |
| DIM. HEIGHT              | 870 mm                                   |
| NET WEIGHT               | 133 Kg                                   |
| VOLUME (net)             | 0,940                                    |
| PACKAGE LENGTH           | 440 mm                                   |
| PACKAGE WIDTH            | 980 mm                                   |
| PACKAGING HEIGHT         | 500 mm                                   |
| PACKAGE VOLUME           | 0,960 m3                                 |
| GROSS PACKING WEIGHT     | 148 Kg                                   |
| GAS POWER                | 31,50                                    |
| GAS POWER (G25.3/25mbar) | 30,00                                    |
| GAS/REFRIGERANT TYPE     | GPL 28-30/37 mbar                        |
| CERTIFIED MODEL          | D96/10 FTTGA                             |

# GAS FRY TOP SMOOTH PLATE AISI 430 ON CABINET

CODICE  
CR0998209

MODELLO  
D96/10FTTGA

SERIE  
DIAMANTE 90

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm  
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

**G** Attacco arrivo gas - Gasanschluss - Gas connection  
Arrivée gaz - Union de gas - Gasaansluiting  
EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)

# GAS FRY TOP SMOOTH PLATE AISI 430 ON CABINET

CODICE  
CR0998209

MODELLO  
D96/10FTTGA

SERIE  
DIAMANTE 90



A 10-mm inclination of the plates towards the front of the machine allows optimal grease outflow to the grease tray.




Plate welded to the hob that provides a larger cooking zone and eliminates dirt accumulation areas.



Even heat distribution thanks to several burners under the hotplate.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

# GAS FRY TOP SMOOTH PLATE AISI 430 ON CABINET

CODICE  
CR0998209

MODELLO  
D96/10FTTGA

SERIE  
DIAMANTE 90

## ACCESSORIES

| CODE      | MODELLO  | DESCRIZIONE  |
|-----------|----------|--|
| CR0957610 | 90XFTP12 | SPLASH GUARD FOR FRY TOP MODULE 120                            |
| CR0592060 | NXFTT    | PLANCHA CLEANING PLUG  |
| CR0592089 | NXFTC6/8 | Fry top cleaning drawer M40-M60-M80-M120                       |
| CR0592079 | NXFTC4   | Fry top cleaning drawer M40-M120                               |
| CR1354989 | PRPC     | Smooth plate cleaning scraper - chrome-plated                  |
| CR1356399 | RPR      | Striped chrome plate scraper                                   |
| CR1354999 | PKLR     | Replacement blades (10PCS)                                     |
| CR0996979 | DBVP4    | Diamond door 39.5x3.6x46.5 cm for 40 cm compartments           |
| CR0997009 | DBVPA4   | Accessory Diamond door 39.5x3.6x46.5 cm for 40 cm compartments |
| CR0997029 | DAPC     | Accessories for accessory diamond knife holder                 |
| CR0997019 | DAPD     | Accessories for Diamond door accessories                       |
| CR0997039 | DAPS     | Accessories for diamond spice rack                             |
| CR0997049 | DAPM     | Accessories for accessory Diamond door                         |
| CR0997059 | DAPDB    | Accessories for accessory Diamond door/bottle holders          |
| CR1353589 | DBVC4    | Drawer kit 39.5x56x46.5 cm for compartments of 40              |