

ELECTRIC BAIN-MARIE TOP VERSION

CODICE
BN12131150

MODELLO
1100/45TCBE

SERIE
SERIE 1100



GENERAL CHARACTERISTICS

A complete range that stands out for its exceptional versatility and the perfect combination of modules, thanks to the use of laser cutting technology.

The 1100 Series makes it possible to create different combinations and to equip the base units with a variety of solutions: central cooking blocks on bases, on bridges and even suspended; free-standing and therefore more functional pasta cookers and fryers. All in a structure that is both sturdy and design at the same time.

AISI 304 stainless steel, Scotch Brite finish, laser-cut 2 mm thick worktops

Wide choice of burners with different power ranges (3.5Kw, 5.6 Kw, 7 Kw, 10Kw)

Burners with stabilised flame, nickel-plated cast iron

Virtually unlimited possibility of power combinations (in compliance with maximum approvals)

Tested components and high efficiency of the heating elements used

Counter tops can be equipped with pass-through ovens, hot cabinets, ventilated, neutral, cantilever and bridge ovens

Also available with plinth

TECHNICAL SPECIFICATIONS

■ ■ ■ Adjustable temperatures from 30° to 90°C. ■ Tub equipped with an overflow level.

ELECTRIC BAIN-MARIE TOP VERSION

CODICE
BN12131150

MODELLO
1100/45TCBE

SERIE
SERIE 1100

Technical Information

SPECIFICATION	DATA
MATERIAL	BN12131150
DEFINITION	1100/45 TCBE BAGNOM. ELE TOP 45 110
COMMERCIAL LINE	SERIE 1100
SUPPLY	ELECTRICS
DIM. WIDTH	450 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	280 mm
NET WEIGHT	41 Kg
VOLUME (net)	0,139
PACKAGE LENGTH	510 mm
PACKAGE WIDTH	1280 mm
PACKAGING HEIGHT	620 mm
PACKAGE VOLUME	0,405 m3
GROSS PACKING WEIGHT	63 Kg
STANDARD POWER SUPPLY	220-240V 1N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	2,200 kW
IP GRADE	IPX4
CERTIFIED MODEL	1100/45TCBE

ELECTRIC BAIN-MARIE TOP VERSION

CODICE
BN12131150






MODELLO
1100/45TCBE

SERIE
SERIE 1100

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

NB114E	EMEP2..
N1100BG../E450	1100/45TCBE 1100/45CBE



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

- E Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse etoupe de cable el
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico
- G Attacco arrivo gas - Gasanschluss - Gas connection
Arrive gaz - Union da gas - Gas aansluiting - Liga Do gás
EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)
- H2O Attacco arrivo acqua Wasseranschluss Water inlet
Arrivée eau - Union de agua - Wateraansluiting - Jun Do alimenta Do Água
EN 10226 1 R 1/2
- S Attacco scarico acqua Wasserablauf Water outlet
Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Jun Do descarga Água
EN 10226 1 R 1/2

ELECTRIC BAIN-MARIE TOP VERSION

CODICE
BN12131150

MODELLO
1100/45TCBE

SERIE
SERIE 1100

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
110/45B	110/45B	Through-bases 45cm 1000 Series
BN2593510	45/110PDX-SX	Door
CR1355719	CR1355719	Wheel kit
BN2590145	RUB110	Faucet 45x55x62 65 H
BN2592970	CASS45	Drawers for neutral base mod. 45 GN 1/1 h 10 cm 4 drawers
CR1011749	NZA45	FRONT SKIRTING - MODULE 450
CR1011809	NZL110	SIDE PLINTH THROUGH