

## ELECTRIC PASTA COOKER 1 BOWL L 26

CODICE  
BN12101900

MODELLO  
550/45CPE

SERIE  
SERIE 1100



### GENERAL CHARACTERISTICS

A complete range that stands out for its exceptional versatility and the perfect combination of modules, thanks to the use of laser cutting technology.

The 1100 Series makes it possible to create different combinations and to equip the base units with a variety of solutions: central cooking blocks on bases, on bridges and even suspended; free-standing and therefore more functional pasta cookers and fryers. All in a structure that is both sturdy and design at the same time.

AISI 304 stainless steel, Scotch Brite finish, laser-cut 2 mm thick worktops

Wide choice of burners with different power ranges (3.5Kw, 5.6 Kw, 7 Kw, 10Kw)

Burners with stabilised flame, nickel-plated cast iron

Virtually unlimited possibility of power combinations (in compliance with maximum approvals)

Tested components and high efficiency of the heating elements used

Counter tops can be equipped with pass-through ovens, hot cabinets, ventilated, neutral, cantilever and bridge ovens

Also available with plinth

### TECHNICAL SPECIFICATIONS

# ELECTRIC PASTA COOKER 1 BOWL L 26

CODICE  
BN12101900

MODELLO  
550/45CPE

SERIE  
SERIE 1100

## Technical Information

SPECIFICATION	DATA
MATERIAL	BN12101900
DEFINITION	550/45 CPE CUCIPASTA ELE 45 55
COMMERCIAL LINE	SERIE 1100
SUPPLY	ELECTRICS
DIM. WIDTH	450 mm
DIM. PRODUCTIVITY	550 mm
DIM. HEIGHT	870 mm
NET WEIGHT	58.65 Kg
VOLUME (net)	0,215
PACKAGE LENGTH	530 mm
PACKAGE WIDTH	700 mm
PACKAGING HEIGHT	1280 mm
PACKAGE VOLUME	0,475 m3
GROSS PACKING WEIGHT	69 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	7,500 kW
TENSION	400
IP GRADE	IPX4
CERTIFIED MODEL	550/45CPE
Capacity	26 litri

# ELECTRIC PASTA COOKER 1 BOWL L 26



weinnovate cooking


CODICE  
BN12101900

MODELLO  
550/45CPE

SERIE  
SERIE 1100

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

- E Pressacavo entrata linea elettrica - Stopfbuchse  
Electric cable stress relief - Presse étoupe de cable el  
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico
- G Attacco arrivo gas - Gasanschluss - Gas connection  
Arrive gaz - Union de gas - Gasaansluiting - Liga Do gAs  
EN 10226-1 R 1/2, EN ISO 228-1 G 1/2 (DK)
- H2O Attacco arrivo acqua - Wasseranschluss - Water inlet  
ArrivDe eau - Union de agua - Wateraansluiting - Jun Do alimenta Do Água  
EN 10226 1 R 1/2
- S Attacco scarico acqua - Wasserablauf - Water outlet  
Vidange de l'eau - Desaguadero - Wateraflopaansluiting - Jun Do descarga Água  
EN 10226 1 R 1/2

## ELECTRIC PASTA COOKER 1 BOWL L 26

**CODICE**  
BN12101900

**MODELLO**  
550/45CPE

**SERIE**  
SERIE 1100

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0999229	7KIT-A	PASTA COOKER KIT
CR0999239	7KIT-B	PASTA COOKER KIT
CR0999249	7KIT-C	PASTA COOKER KIT
CR0999089	CCP13L	BASKET GN1/3 SIDE HANDLE
CR0999099	CCP13F	BASKET GN1/3 FRONT HANDLE
CR0999109	CCP16D	BASKET GN1/6 RIGHT-HAND HANDLE
CR0999119	CCP16S	BASKET GN1/6 LEFT HANDLE
CR0999129	CCP19	BASKET GN1/9 FRONT HANDLE
CR0999139	GFCP26	BOTTOM TANK GRILLE 26Lt.
CR1355779	COP	LID FOR PASTA COOKER TANK GIANO SERIES