

## 4-RING COOKER - TOP VERSION

CODICE  
CR0853969

MODELLO  
OC67EP

SERIE  
SERIE 650



### GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

### TECHNICAL SPECIFICATIONS

■ 4-PLATE ELECTRIC STOVE TOP VERSION. Electric cookers are equipped with round cast iron plates hermetically fixed on the top and have a diameter of 180 mm and 220 mm, upgraded version with all 2.6 kW plates. ■ The plates are hermetically attached to the top,

which has a vessel for collecting liquids and is completely smooth for easier cleaning. ■ The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

## 4-RING COOKER - TOP VERSION

CODICE  
CR0853969

MODELLO  
OC67EP

SERIE  
SERIE 650

### Technical Information

SPECIFICATION	DATA
MATERIAL	CR0853969
DEFINITION	4 PIASTRE EL./P TONDE 60 M70 OC67EP
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	700 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	86.3 Kg
VOLUME (net)	0,124
PACKAGE LENGTH	650 mm
PACKAGE WIDTH	750 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	0,561 m3
GROSS PACKING WEIGHT	95 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	10,400 kW
IP GRADE	IPX4
CERTIFIED MODEL	OC67EP

## 4-RING COOKER - TOP VERSION



weinnovate cooking


CODICE  
CR0853969

MODELLO  
OC67EP

SERIE  
SERIE 650

### SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIJNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



### LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupe de cable el Pisacable - Elektrische kabelwartel

## 4-RING COOKER - TOP VERSION

CODICE  
CR0853969

MODELLO  
OC67EP

SERIE  
SERIE 650



The plates are hermetically attached to the top, which has a vessel for collecting liquids and is completely smooth for easier cleaning.



The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

## 4-RING COOKER - TOP VERSION

CODICE  
CR0853969

MODELLO  
OC67EP

SERIE  
SERIE 650

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852869	OBV67	OPEN BASE size 70cm Series 650
CR0858039	OP70D/S	2 doors per 70 compartment
CR0858079	6PIC7	SHELF FOR EASEL