# MULTIFUNCTION FIT PAN CLASSIC GN1/1

**OLIS**
*we*innovate cooking

| CODICE | MODELLO | SERIE |
|---|---|---|
| CR1356529T4W | D92/10MAE-T4W | DIAMANTE 4.0 |

## GENERAL CHARACTERISTICS

Diamond 90 Touch 4.0 - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from worktop adjustable from 840 to

900 mm. Tops with 2 mm thickness All model-identified equipment (T4W) is 4.0 Ready equipment, allowing you to benefit from all the advantages of connecting your equipment to a cloud system.

## TECHNICAL SPECIFICATIONS

❚ Thermoblock' heating elements, armoured and encased in a high heat-resistant aluminium casting. ❚ Automatic water filling programmable in 3 different modes: automatic with litre counter, fast, slow. ❚ Use in 7 functions: fry top / BRATT PAN / pasta cooker / slow cooking / steaming / kettle / bain-marie. ❚ Two USB outputs located under the dashboard (compartment area) for storing recipes and updating software. ❚ Control of cooking by core probe. ❚ Product discharge via dedicated hole on tray positioned on compartment. ❚ Dedicated water drain with overflow. ❚ Internal memory for storing pre-set recipes, transferable to another device via USB. ❚ Double-walled lid without perimeter seal.

❚ Mains water drain with overflow drain and basin drain hole with sealing plug. ❚ Control of cooking by core probe. ❚ Easy to understand and use Touch Screen control panel. Possibility of storing personal recipes. ❚ Basin for draining the cooked product into the tank. Guaranteed cleanliness of the station and easy transport of products. ❚ industry 4.0 ready version.

| CODICE | MODELLO | SERIE |
|---|---|---|
| CR1356529T4W | D92/10MAE-T4W | DIAMANTE 4.0 |

## Technical Information

| SPECIFICATION | DATA |
|---|---|
| MATERIAL | CR1356529T4W |
| DEFINITION | DT92/10 MAE-T4W NEW MULTI COOKER FITPAN |
| DIM. PRODUCTIVITY | 900 mm |
| DIM. HEIGHT | 870 mm |
| NET WEIGHT | 0 Kg |
| PACKAGE LENGTH | 980 mm |
| PACKAGE WIDTH | 700 mm |
| PACKAGING HEIGHT | 1630 mm |
| PACKAGE VOLUME | 1,118 m3 |
| GROSS PACKING WEIGHT | 0 Kg |
| STANDARD POWER SUPPLY | 380-415V 3N |
| ELECTRICAL POWER | 10 kW |

Olis Ali Group S.r.l.
Via Del Boscon, 424 - 32100 Belluno - Italy
Web: olis.it - Mail: info@olis.it

21/4/2024  Pag. 2/4

**OLIS**
*we*innovate cooking

| CODICE | MODELLO | SERIE |
|---|---|---|
| CR1356529T4W | D92/10MAE-T4W | DIAMANTE 4.0 |



Automatic water filling with the possibility of programming litres.



Temperature control via touch screen and adjustment with ergonomic knob



Mains water drain with overflow drain and basin drain hole with sealing plug.



Control of cooking by core probe.



Easy to understand and use Touch Screen control panel. Possibility of storing personal recipes.

OLis
**we**Innovate cooking

| CODICE | MODELLO | SERIE |
|---|---|---|
| CR1356529T4W | D92/10MAE-T4W | DIAMANTE 4.0 |

## ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|---|---|---|
| CR1357499 | 4.0IOTPRO | PRO Subscription - Cloud |
| CR1357479 | 4.0IOTENTRY | ENTRY Subscription - Cloud |
| CR1200179 | CAMCF | Lid for steamer use |
| CR1200169 | GFMCF | Tank bottom grid |
| CR1200159 | CPC1/3MCF | GN1/3 basket for pasta cooker |
| CR1200119 | TSCMCF | Frame for slow cooking |
| CR0956330 | SDXP | Shovel |
| CR0999069 | CRLMCF | Trolley for multifunctional |
| CR1200149 | CV1/3MCP | GN1/3 steamer basket 160x280x115(H)cm |
| BN0221600090 | PTD7DX | DIAMANTE 70 end side DIAMANTRE - RIGHT |
| BN0221600091 | PTD7SX | DIAMANTE 70 side terminal DIAMANTE - LEFT |
| BN0221600261 | PTD146 | DIAMANTE 70 side terminal DIAMANTRE - PASSING |
| CR1357959 | FTD7DX | DIAMANTE 70 right-side infill panel |
| CR1357969 | FTD7SX | DIAMANTE 70 left-side infill panel |
| CR1357979 | FTPD7 | DIAMANTE 70 + 70 through-wall infill panel |
| CR1357949 | FTPD97 | DIAMANTE 90 + 70 through-wall infill panel |
| CR1357919 | FTD9DX | DIAMANTE 90 right-side infill panel |
| CR1357929 | FTD9SX | DIAMANTE 90 left-side infill panel |
| CR1357939 | FTPD9 | DIAMANTE 90 + 90 through-wall infill panel |

Olis Ali Group S.r.l.
Via Del Boscon, 424 - 32100 Belluno - Italy
**Web**: olis.it - **Mail**: info@olis.it

21/4/2024  **Pag.** 4/4