

# MULTIFUNCTION FIT PAN SLIM GN1/1

CODICE  
CR0999049T4W

MODELLO  
D74/10MAE-T4W

SERIE  
DIAMANTE 4.0



## GENERAL CHARACTERISTICS

Diamond 90 Touch 4.0 - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from worktop adjustable from 840 to 900 mm. Tops with 2 mm thickness All model-identified equipment (T4W) is 4.0 Ready equipment, allowing you to benefit from all the advantages of connecting your equipment to a cloud system.

## TECHNICAL SPECIFICATIONS

■ Thermoblock' heating elements, armoured and encased in a high heat-resistant aluminium casting. ■ Automatic water filling programmable in 3 different modes: automatic with litre counter, fast, slow. ■ Use in 7 functions: fry top / BRATT PAN / pasta cooker / slow cooking / steaming / kettle / bain-marie. ■ Two USB outputs located under the dashboard (compartment area) for storing recipes and updating software. ■ Control of cooking by core probe. ■ Product discharge via dedicated hole on tray positioned on compartment. ■ Dedicated water drain with overflow. ■ Internal memory for storing

pre-set recipes, transferable to another device via USB. ■ Double-walled lid without perimeter seal.

■ Mains water drain with overflow drain and basin drain hole with sealing plug. ■ Control of cooking by core probe. ■ Easy to understand and use Touch Screen control panel. Possibility of storing personal recipes. ■ Basin for draining the cooked product into the tank. Guaranteed cleanliness of the station and easy transport of products. ■ industry 4.0 ready version.

## MULTIFUNCTION FIT PAN SLIM GN1/1

CODICE  
CR0999049T4W

MODELLO  
D74/10MAE-T4W

SERIE  
DIAMANTE 4.0

### Technical Information

SPECIFICATION	DATA
MATERIAL	CR0999049T4W
SUPPLY	ELECTRICS
DIM. PRODUCTIVITY	700 mm
DIM. HEIGHT	870 mm
STANDARD POWER SUPPLY	380-415V 3N
ELECTRICAL POWER	10 kW

# MULTIFUNCTION FIT PAN SLIM GN1/1




weinnovate cooking

CODICE  
CR0999049T4W

MODELLO  
D74/10MAE-T4W

SERIE  
DIAMANTE 4.0

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água UNI EN 10226-1 R 1"	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1 =	Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	A2 =	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S3	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto		EN ISO 228-1 G3/4
S4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	L	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível

# MULTIFUNCTION FIT PAN SLIM GN1/1


CODICE  
CR0999049T4W

MODELLO  
D74/10MAE-T4W


SERIE  
DIAMANTE 4.0




Automatic water filling with the possibility of programming litres.




Temperature control via touch screen and adjustment with ergonomic knob



Mains water drain with overflow drain and basin drain hole with sealing plug.



Control of cooking by core probe.



Easy to understand and use Touch Screen control panel. Possibility of storing personal recipes.

## MULTIFUNCTION FIT PAN SLIM GN1/1

**CODICE**  
CR0999049T4W

**MODELLO**  
D74/10MAE-T4W

**SERIE**  
DIAMANTE 4.0

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1357499	4.IOTPRO	PRO Subscription - Cloud
CR1357479	4.IOTENTRY	ENTRY Subscription - Cloud
CR1200179	CAMCF	Lid for steamer use
CR1200169	GFMCF	Tank bottom grid
CR1200159	CPC1/3MCF	GN1/3 basket for pasta cooker
CR1200119	TSCMCF	Frame for slow cooking
CR0956330	SDXP	Shovel
CR0999069	CRLMCF	Trolley for multifunctional
CR1200149	CV1/3MCP	GN1/3 steamer basket 160x280x115(H)cm