

CODICE
BND211032

MODELLO
OPTW50T

SERIE
WASHING



GENERAL CHARACTERISTICS

Professional dishwashers designed to meet the needs for efficient and rapid cleaning of dishes and utensils in commercial settings, such as restaurants, hotels, and similar food facilities. Olis equipment is designed to handle a high volume of tableware and ensure high hygiene standards in commercial settings.

TECHNICAL SPECIFICATIONS

■ Double-wall glass and dishwashers. Designed to meet the needs of bars, restaurants, hotels, pubs. Recently renovated in their aesthetics, they are available in electromechanical and electronic versions. They are machines with a solid and reliable structure. ■ A wide variety of optional extras are available, including a water softener, detergent dispenser, drain pump, new surface filters, to adapt the machine to the most diverse uses. ■ New electronic versions available in the T models with LED control panel that offers the display of washing and rinsing temperatures, the selected programme, working status and main alarm codes. They also offer 4 standard washing programmes that adapt the machine's performance individually to the type of dishes being

washed. The 'Soft Start' function offers additional protection for the most delicate items.

- Solid AISI 304 stainless steel construction
- Printed basket runners
- Door safety device in the event of accidental opening
- Moulded and sloping basin for perfect emptying
- Integrated overflow system and drain filters for triple protection of the wash pump
- Anti-drip roof to safeguard the hygiene of freshly washed dishes
- Lightweight composite impellers, efficient even at low mains pressure
- Removable nozzles for easy daily cleaning
- Electronic version with 4 preset wash cycles

CODICE
 BND211032

 MODELLO
 OPTW50T

 SERIE
 WASHING

Technical Information

SPECIFICATION	DATA
MATERIAL	BND211032
DEFINITION	OPTW50T LAVAST. ELET. 500
DIM. WIDTH	595 mm
DIM. PRODUCTIVITY	610 mm
DIM. HEIGHT	845 mm
NET WEIGHT	61 Kg
VOLUME (net)	0,307
PACKAGE LENGTH	660 mm
PACKAGE WIDTH	660 mm
PACKAGING HEIGHT	1010 mm
PACKAGE VOLUME	0,440 m3
GROSS PACKING WEIGHT	69.5 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50Hz
ELECTRICAL POWER	5.2 kW
CERTIFICATE NR	60/90/120/180 sec
WASH PUMP	650W
CERTIFICATE NR	5150W
WATER CONSUMPTION	2,3 lt

TOUCH WASH PLUS T - OPTW50T

CODICE
BND211032

MODELLO
OPTW50T

SERIE
WASHING



Printed basket runners



Lightweight composite impellers,
efficient even at low mains pressure



Lightweight composite impellers,
efficient even at low mains pressure

TOUCH WASH PLUS T - OPTW50T

CODICE
BND211032

MODELLO
OPTW50T

SERIE
WASHING

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
TWPS	TWPS	DRAIN PUMP
TWDE	EWDE	DETERGENT DISPENSER