

# TOUCH WASH PLUS T - OPTW50TDA

CODICE  
BND211033

MODELLO  
OPTW50TDA

SERIE  
WASHING



## GENERAL CHARACTERISTICS

Professional dishwashers designed to meet the needs for efficient and rapid cleaning of dishes and utensils in commercial settings, such as restaurants, hotels, and similar food facilities. Olis equipment is designed to handle a high volume of tableware and ensure high hygiene standards in commercial settings.

## TECHNICAL SPECIFICATIONS

■ Double-wall glass and dishwashers. Designed to meet the needs of bars, restaurants, hotels, pubs. Recently renovated in their aesthetics, they are available in electromechanical and electronic versions. They are machines with a solid and reliable structure. ■ A wide variety of optional extras are available, including a water softener, detergent dispenser, drain pump, new surface filters, to adapt the machine to the most diverse uses. ■ New electronic versions available in the T models with LED control panel that offers the display of washing and rinsing temperatures, the selected programme, working status and main alarm codes. They also offer 4 standard washing programmes that adapt the machine's performance individually to the type of dishes being

washed. The 'Soft Start' function offers additional protection for the most delicate items.

- Solid AISI 304 stainless steel construction
- Printed basket runners
- Door safety device in the event of accidental opening
- Moulded and sloping basin for perfect emptying
- Integrated overflow system and drain filters for triple protection of the wash pump
- Anti-drip roof to safeguard the hygiene of freshly washed dishes
- Lightweight composite impellers, efficient even at low mains pressure
- Removable nozzles for easy daily cleaning
- Electronic version with 4 preset wash cycles

# TOUCH WASH PLUS T - OPTW50TDA

CODICE  
BND211033

MODELLO  
OPTW50TDA

SERIE  
WASHING

## Technical Information

SPECIFICATION	DATA
MATERIAL	BND211033
DEFINITION	OPTW50TDA LAVASTOVIGLIE TOUCH WASH PLUS
DIM. WIDTH	595 mm
DIM. PRODUCTIVITY	610 mm
DIM. HEIGHT	845 mm
NET WEIGHT	61 Kg
VOLUME (net)	0,307
PACKAGE LENGTH	780 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1470 mm
PACKAGE VOLUME	0,975 m3
GROSS PACKING WEIGHT	69.5 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50Hz
ELECTRICAL POWER	5.2 kW
CERTIFICATE NR	60/90/120/180 sec
WASH PUMP	650W
CERTIFICATE NR	5150W
WATER CONSUMPTION	2,3 lt

## TOUCH WASH PLUS T - OPTW50TDA




weinnovate cooking

CODICE  
BND211033

MODELLO  
OPTW50TDA

SERIE  
WASHING



	ENTRATA ACQUA 3/4" GAS
	SCARICO ACQUA Ø 24mm
	ALLACCIAMENTO ELETTRICO

DATI TECNICI	STANDARD			
DIMENSIONI ESTERNE				
larghezza	595 mm			
profondita'	610 mm			
altezza(piedino avvitato)	845 mm			
PESO NETTO (versione base)	61 kg			
TENSIONE DI ALIMENTAZIONE	400V 3N 50Hz			
POTENZA MASSIMA ASSORBITA	5150 W			
DUREZZA ACQUA	2-8 °F			
PRESSIONE ACQUA ALIMENTAZIONE	200-400 kPa			
ALTEZZA UTILE & CESTI				
diametro piatti	325 mm			
altezza bicchieri	310 mm			
DIMENSIONE CESTI	500X500 mm			
DOTAZIONE CESTI	1XC40 - 1XC44 - 1X15060			
N° CICLI (sec)	1(60)	2(90)	3(120)	4(180)
ALIMENTAZIONE ACQUA 55°C				
produzione cesti(*) <sup>(1)</sup> Cesti/h	60	40	30	20
ALIMENTAZIONE ACQUA 10°C				
produzione cesti(*) <sup>(1)</sup> Cesti/h	20	20	20	20
CONSUMO ACQUA PER CICLO (pressione idrica 200kPa)	2.3 L			
CAPACITA' BOILER	5.7 L			
RESISTENZA BOILER	4500 W			
SET. TEMPERATURA RISCIAQUO	85°C			
CAPACITA' VASCA	27 L			
RESISTENZA VASCA	2700 W			
SET. TEMPERATURA VASCA	55°C			
POTENZA POMPA	650 W (340 L/min***)			
pompa scarico (optional)	25 W h MAX scarico 0.8m (40 L/min***)			
RUMOROSITA'	59.3 dB(A)			

(\*) CON TERMOSTOP DI SERIE

(\*\*\*) PORTATA MASSIMA

<sup>(1)</sup> In caso di alimentazione con acqua fredda e/o in caso di più lavaggi consecutivi si potrebbero allungare i tempi di riscaldamento dell'acqua del risciacquo finale fino al raggiungimento della temperatura ottimale. Conseguentemente, il tempo totale del ciclo di lavaggio potrebbe aumentare.

N.B. A TERMINE DI LEGGE CI RISERVIAMO LA PROPRIETA' DI QUESTO DISEGNO CON DIVIETO DI RIPRODURLO O DI RENDERLO NOTO A TERZI O A DITTE CONCORRENTI SENZA NOSTRO CONSENSO SCRITTO

PAGINA 1 / 1

## TOUCH WASH PLUS T - OPTW50TDA


CODICE  
BND211033

MODELLO  
OPTW50TDA


SERIE  
WASHING



Printed basket runners



Lightweight composite impellers,  
efficient even at low mains pressure



Lightweight composite impellers,  
efficient even at low mains pressure

## TOUCH WASH PLUS T - OPTW50TDA

CODICE  
BND211033

MODELLO  
OPTW50TDA

SERIE  
WASHING

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
TWPS	TWPS	DRAIN PUMP
TWDDE	EWDDE	DETERGENT DISPENSER