

## Open base 60cm Series 70

CODICE  
CR1354799

MODELLO  
D73/10B

SERIE  
DIAMANTE 70



### GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

### TECHNICAL SPECIFICATIONS

## Open base 60cm Series 70

CODICE  
CR1354799

MODELLO  
D73/10B

SERIE  
DIAMANTE 70

### Technical Information

SPECIFICATION	DATA
MATERIAL	CR1354799
DEFINITION	D73/10B BASE VANO M60 S/PORTINE
COMMERCIAL LINE	DIAMANTE
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	650 mm
NET WEIGHT	10 Kg
VOLUME (net)	0,285
PACKAGE LENGTH	420 mm
PACKAGE WIDTH	680 mm
PACKAGING HEIGHT	650 mm
PACKAGE VOLUME	0,200 m3
GROSS PACKING WEIGHT	15 Kg
CERTIFIED MODEL	D73/10B

## Open base 60cm Series 70

CODICE  
CR1354799

MODELLO  
D73/10B

SERIE  
DIAMANTE 70

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0996999	DBVP6	Diamond door 59.5x3.6x46.5 cm for 60 cm compartments
CR1353599	DBVC6	Drawer kit 59.5x56x46.5 cm for 60 compartments
CR1354799	D73/10B	Open base 60cm Series 70
CR0599719	73/10BH	Open base - Hygienic finish H2 60cm series 70
CR0592789	ZF6	Front plinth - FOR INSTALLING EQUIPMENT WITH FLOOR HEIGHT 90 CM L=60
CR0592830	ZG	SKIRTING JOINT
MA97432000	R	WHEEL KIT (2 + 2) Ø 100
MA97433000	RI	WHEEL KIT (2 + 2) Ø 101 STAINLESS STEEL
CR0592869	PZM	NO. 4 STAINLESS STEEL FEET FOR INSTALLATION ON CONCRETE PLINTH
CR0593580	9PT	No. 4 stainless steel feet for installation on tops
CR0592879	KPA	N.2 STAINLESS STEEL FEET WITH FLANGE
CR0599649	7ZL	Side plinth