

## ELECTRIC FRY TOP SMOOTH PLATE

CODICE  
CR0854199

MODELLO  
OFT66EL

SERIE  
SERIE 650



### GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

### TECHNICAL SPECIFICATIONS

■ The plates heated by high-powered electric heating elements, such as to ensure a rapid rise in temperature and the maintenance of the chosen values. The plates are equipped with splash guards so as to ensure perfect cleanliness and hygiene of the cooking surface.

The work surface is slightly inclined so as to convey sauces, fats and seasonings, into the special large-capacity collection drawer. All electric models, have a thermostatic temperature control, safety thermostat and power indicator lights. ■ The fry tops are equipped with a perimeter splash guard and a removable drip tray.

## ELECTRIC FRY TOP SMOOTH PLATE

CODICE  
CR0854199

MODELLO  
OFT66EL

SERIE  
SERIE 650

### Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854199
DEFINITION	FRY-TOP ELL 60 M60 OFT66EL
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	48.7 Kg
VOLUME (net)	0,106
PACKAGE LENGTH	730 mm
PACKAGE WIDTH	640 mm
PACKAGING HEIGHT	670 mm
PACKAGE VOLUME	0,313 m3
GROSS PACKING WEIGHT	56 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	7,800 kW
IP GRADE	IPX4
CERTIFIED MODEL	OFT66EL

# ELECTRIC FRY TOP SMOOTH PLATE

CODICE  
CR0854199

MODELLO  
OFT66EL

SERIE  
SERIE 650


## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

OFT64E..  
EBE62T..

OFT66E..  
EBE63T..

OFT68E..  
EBE64T..



## Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse  
Electric cable stress relief - Presse etoupr de cable el  
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico

## ELECTRIC FRY TOP SMOOTH PLATE

CODICE  
CR0854199

MODELLO  
OFT66EL

SERIE  
SERIE 650



The fry tops are equipped with a perimeter splash guard and a removable drip tray.

## ELECTRIC FRY TOP SMOOTH PLATE

CODICE  
CR0854199

MODELLO  
OFT66EL

SERIE  
SERIE 650

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0852859	OBV66	OPEN BASE size 60cm Series 650
CR0858049	OCS60	Pair of drawers
CR0858059	OP60D/S	door per compartment 60 - 100