

# TOUCH WASH PLUS T - OPTW40T

CODICE  
BND211028

MODELLO  
OPTW40T

SERIE  
WASHING



## GENERAL CHARACTERISTICS

Professional dishwashers designed to meet the needs for efficient and rapid cleaning of dishes and utensils in commercial settings, such as restaurants, hotels, and similar food facilities. Olis equipment is designed to handle a high volume of tableware and ensure high hygiene standards in commercial settings.

## TECHNICAL SPECIFICATIONS

■ Double-wall glass and dishwashers. Designed to meet the needs of bars, restaurants, hotels, pubs. Recently renovated in their aesthetics, they are available in electromechanical and electronic versions. They are machines with a solid and reliable structure. ■ A wide variety of optional extras are available, including a water softener, detergent dispenser, drain pump, new surface filters, to adapt the machine to the most diverse uses. ■ New electronic versions available in the T models with LED control panel that offers the display of washing and rinsing temperatures, the selected programme, working status and main alarm codes. They also offer 4 standard washing programmes that adapt the machine's performance individually to the type of dishes being

washed. The 'Soft Start' function offers additional protection for the most delicate items.

- Solid AISI 304 stainless steel construction
- Printed basket runners
- Door safety device in the event of accidental opening
- Moulded and sloping basin for perfect emptying
- Integrated overflow system and drain filters for triple protection of the wash pump
- Anti-drip roof to safeguard the hygiene of freshly washed dishes
- Lightweight composite impellers, efficient even at low mains pressure
- Removable nozzles for easy daily cleaning
- Electronic version with 4 preset wash cycles

# TOUCH WASH PLUS T - OPTW40T

CODICE  
BND211028

MODELLO  
OPTW40T

SERIE  
WASHING

## Technical Information

SPECIFICATION	DATA
MATERIAL	BND211028
DEFINITION	OPTW40T LAVAST. ELET. 400
DIM. WIDTH	460 mm
DIM. PRODUCTIVITY	545 mm
DIM. HEIGHT	715 mm
NET WEIGHT	45.5 Kg
VOLUME (net)	0,179
PACKAGE LENGTH	530 mm
PACKAGE WIDTH	620 mm
PACKAGING HEIGHT	820 mm
PACKAGE VOLUME	0,269 m3
GROSS PACKING WEIGHT	50 Kg
STANDARD POWER SUPPLY	220-240V 1N
FREQUENCY	50Hz
ELECTRICAL POWER	3.2 kW
CERTIFICATE NR	60/90/120/180 sec
WASH PUMP	400W
CERTIFICATE NR	3200W
WATER CONSUMPTION	1,8 lt

## TOUCH WASH PLUS T - OPTW40T




weinnovate cooking

CODICE  
BND211028

MODELLO  
OPTW40T

SERIE  
WASHING



DATI TECNICI	STANDARD			
<b>DIMENSIONI ESTERNE</b>				
larghezza	460 mm			
profondita'	545 mm			
altezza(piedino avvitato)	715 mm			
PESO (versione base)	38 kg			
TENSIONE DI ALIMENTAZIONE	230V 50Hz			
POTENZA MASSIMA ASSORBITA	3200 W			
DUREZZA ACQUA	2-8 °F			
PRESSIONE ACQUA ALIMENTAZIONE	200-400 kPa			
<b>ALTEZZA UTILE &amp; CESTI</b>				
diametro piatti	295 mm			
altezza bicchieri	305 mm			
DIMENSIONE CESTI	400X400 mm			
DOTAZIONE CESTI	2XC121 - 1X10728 - 1X15060			
N° CICLI (sec)	1(60)	2(90)	3(120)	4(180)
<b>ALIMENTAZIONE ACQUA 55°C</b>				
produzione cesti(*) <sup>(1)</sup> Cesti/h	60	40	30	20
<b>ALIMENTAZIONE ACQUA 10°C</b>				
produzione cesti(*) <sup>(1)</sup> Cesti/h	16	16	16	16
CONSUMO ACQUA PER CICLO (pressione idrica 200kPa)	1.8 L			
CAPACITA' BOILER	3.4 L			
RESISTENZA BOILER	2800 W			
SET. TEMPERATURA RISCIAQUO	85°C			
CAPACITA' VASCA	15.5 L			
RESISTENZA VASCA	1250 W			
SET. TEMPERATURA VASCA	55°C			
POTENZA POMPA	400 W (185 L/min)			
pompa scarico (optional)	25 W h MAX scarico 0.8m (40 L/min***)			
RUMOROSITA'	61.2 (dB(A)±0.7)			

(\*) CON TERMOSTOP DI SERIE

(\*\*\*) PORTATA MASSIMA

<sup>(1)</sup> In caso di alimentazione con acqua fredda e/o in caso di più lavaggi consecutivi si potrebbero allungare i tempi di riscaldamento dell'acqua del risciacquo finale fino al raggiungimento della temperatura ottimale. Conseguentemente, il tempo totale del ciclo di lavaggio potrebbe aumentare.

N.B. A TERMINE DI LEGGE CI RISERVIAMO LA PROPRIETA' DI QUESTO DISEGNO CON DIVIETO DI RIPRODURLO O DI RENDERLO NOTO A TERZI O A DITTE CONCORRENTI SENZA NOSTRO CONSENSO SCRITTO

PAGINA 1 / 1

## TOUCH WASH PLUS T - OPTW40T


CODICE  
BND211028

MODELLO  
OPTW40T


SERIE  
WASHING



Printed basket runners



Lightweight composite impellers,  
efficient even at low mains pressure



Lightweight composite impellers,  
efficient even at low mains pressure

## TOUCH WASH PLUS T - OPTW40T

CODICE  
BND211028

MODELLO  
OPTW40T

SERIE  
WASHING

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
TWPS	TWPS	DRAIN PUMP
TWDDE	EWDDE	DETERGENT DISPENSER