

REFRIGERATED BASE 120cm 2 DRAWERS GN 2/1 - TEMP. -2/+8 ° TN

CODICE
BN20701040400

MODELLO
BR912 TNN

SERIE
DIAMANTE 90 TOUCH



GENERAL CHARACTERISTICS

Diamond 90 Touch - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from the work surface adjustable from 840 to 900mm. Tops with 2 mm thickness

REFRIGERATED BASE 120cm 2 DRAWERS GN 2/1 - TEMP. -2/+8 ° TN

CODICE
BN20701040400

MODELLO
BR912 TNN

SERIE
DIAMANTE 90 TOUCH

TECHNICAL SPECIFICATIONS

■ GENERAL FEATURES:

Outer sides, backrest, doors and worktop made of stainless steel
stainless steel (Scotch-Brite satin finish)
Stainless steel outer bottom
Fully radiused stainless steel inner lining
Containment-molded inner bottom
High-density polyurethane foam insulation (approx. 42
kg/m³) 50 mm thick, HCFC-free
Copper-aluminum evaporating coil, painted by cataphoresis
with non-toxic epoxy resin
Condensing coil made of painted iron with high thermal efficiency
Anti-condensation heater, placed on the box under the rebate
magnetic gasket
Ergonomic handle on the full width of the door or
drawer and magnetic gaskets on all 4 sides
Stainless steel feet Ø 2" adjustable H 150÷200 mm

INTERIOR FITTINGS:

Stainless steel uprights and guides, positioned interlocking to
facilitate cleanability
One pair of guides per compartment

REFRIGERATION UNIT:

Ventilated evaporator to ensure maximum efficiency of the

cooling system

Compressor and condenser mounted on a base
removable for easy and simple maintenance or
replacement

Environmentally friendly refrigerant fluid R134a for TN units and
R452A

for BT units

Automatic electric resistance defrosting device and
condensate water evaporation system without
contribution of electrical energy

Automatic evaporation of condensate water by means of
electrical resistance on prearranged models

CONTROLS, CONTROLS AND SAFETIES:

Electronic teletermostat with temperature probe
Automatically reset thermal protector to safeguard the
compressor

VERSIONINGS AND OPTIONS:

Version with worktop

Version without worktop

Version prepared with remote unit

Version with water condensation

Swivel wheel kit

Locks

REFRIGERATED BASE 120cm 2 DRAWERS GN 2/1 -
TEMP. -2/+8 ° TN

CODICE
BN20701040400

MODELLO
BR912 TNN

SERIE
DIAMANTE 90 TOUCH

Technical Information




SPECIFICATION	DATA
MATERIAL	BN20701040400
DEFINITION	\$BR912 S/P TNN OLIS
COMMERCIAL LINE	GASTRONOMIA
SUPPLY	ELECTRICS
DIM. WIDTH	1200 mm
DIM. PRODUCTIVITY	840 mm
DIM. HEIGHT	590 mm
NET WEIGHT	100 Kg
PACKAGE LENGTH	790 mm
PACKAGE WIDTH	1440 mm
PACKAGING HEIGHT	950 mm
PACKAGE VOLUME	0,900 m3
GROSS PACKING WEIGHT	108 Kg
STANDARD POWER SUPPLY	AC 230V 50Hz
ELECTRICAL POWER	0,280 kW
GAS/REFRIGERANT TYPE	R134a

REFRIGERATED BASE 120cm 2 DRAWERS GN 2/1 - TEMP. -2/+8 ° TN


CODICE
BN20701040400

MODELLO
BR912 TNN

SERIE
DIAMANTE 90 TOUCH



SEC. A-A



REFRIGERATED BASE 120cm 2 DRAWERS GN 2/1 -
TEMP. -2/+8 ° TN

CODICE	MODELLO	SERIE
BN20701040400	BR912 TNN	DIAMANTE 90 TOUCH

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
BN0221600207	BN0221600207	Frame for Top installation on refrigerated base 120