

HOT PASS-THROUGH CUPBOARD TABLE -4 SLIDING DOORS AND LOWER SHELF

CODICE
BNN55070162

MODELLO
NAR716PP

SERIE
PREPARATION



GENERAL CHARACTERISTICS

Indispensable for a functional kitchen, the preparation range offers a wide choice of models for preparation. The tables on legs, cabinets, with drawers, sinks, wall units and dish cupboards are all made of stainless steel. The care in the workmanship guarantees an excellent combination of elements and easy cleaning.

Indispensable for a functional kitchen, the preparation range offers a wide choice of models for preparation. The tables on legs, cabinets, with drawers, sinks, wall units and dish cupboards are all made of stainless steel. The care in the workmanship guarantees an excellent combination of elements and easy cleaning.

TECHNICAL SPECIFICATIONS

■ STAINLESS STEEL WORKTOP 18/10 AISI 304 SB Height 40 mm, Reinforced with laminated wood panel, Backsplash 100x15 mm ■ 18/10 AISI 304 STAINLESS STEEL SHELL
Recessed with respect to the top by 20 mm at the front, flush at the rear ■ 18/10 AISI 304 STAINLESS STEEL SHELF
Longitudinal reinforcement at center of shelf adjustable in height on racks ■ 18/10 AISI 304 STAINLESS STEEL DOORS
Front with recessed handle with inside counter door ■ SLIDES
Upper slide with bearings, lower slide with PVC skid on PVC double-

channel guides ■ SASHES
Closure with magnets and rotary opening ■ FEET
Round foot made of 18/10 AISI 304 stainless steel, with leveler

■ Scotch-Brite stainless steel execution.
Ventilated heating.
Water-repellent and sound-absorbing sub-floor.
Soundproof sliding doors, adjustable feet, can be fitted with castors
230V 1+N; 50/60 Hz; 2.4 Kw

HOT PASS-THROUGH CUPBOARD TABLE -4 SLIDING DOORS AND LOWER SHELF

CODICE
BNN55070162

MODELLO
NAR716PP

SERIE
PREPARATION

Technical Information


SPECIFICATION	DATA
MATERIAL	BNN55070162
DEFINITION	TAVOLO ARMADIO R10 CALDO PASS. SAR716PP
SUPPLY	ELECTRICS
DIM. WIDTH	1600 mm
DIM. PRODUCTIVITY	700 mm
DIM. HEIGHT	900 mm
NET WEIGHT	105 Kg
VOLUME (net)	1,238
PACKAGE LENGTH	1650 mm
PACKAGE WIDTH	750 mm
PACKAGING HEIGHT	1000 mm
PACKAGE VOLUME	1,238 m3
GROSS PACKING WEIGHT	130 Kg
STANDARD POWER SUPPLY	220-240V 1N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	2,500 kW
IP GRADE	IPX4
CERTIFIED MODEL	SAR716PP

HOT PASS-THROUGH CUPBOARD TABLE -4 SLIDING DOORS AND LOWER SHELF

CODICE
BNN55070162

MODELLO
NAR716PP

SERIE
PREPARATION



The company declines all responsibility for possible printing errors, guarding herself the right to make changes to dimensions and specifications if necessary without notices.